

arco series



ARCO-24-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 04/09/2024



SOUND WITH SOUL

KEY FEATURES

- Molded high impact ABS enclosures
- Small size and ready-to-paint exterior
- Adjustable ceiling/wall mount included
- Factory installed multi-tap transformers

DESCRIPTION

The Arco-24T incorporates two 4" woofers with weather resistant polypropylene cones. High frequency reproduction is handled by a 25 mm neodymium dome tweeter for brilliant highs and balanced performance. An Overload Safety Circuit protects the speakers from damage in case of overpowering.

The "T" versions include a multi tap transformer with variable settings including an 8 ohm bypass position. Optional IP 54 kits for outdoor use are available.

ARCO-24-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 04/09/2024



SOUND WITH SOUL

SPECIFICATIONS

Performance

| | |
|-----------------------------|--|
| Frequency Range (-10 dB) | 65 Hz – 22 kHz |
| Horizontal Coverage (-6 dB) | 80° |
| Vertical Coverage | 70° |
| Nominal Impedance | 8 ohms |
| Transformer Taps 70 V | 5 W-10 W-15 W |
| Transformer Taps 100 V | 10 W-20 W-30 W |
| RMS Power Handling | 100 W |
| Peak Power Handling | 400 W |
| On-axis Sensitivity 1W/1 m | 89 dB SPL |
| Maximum Peak SPL at 1 m | 115 dB |
| Recommended Amplifier | INTEGRAL-A402 INTEGRAL-A404 |
| Recommended Processor | INTEGRAL-M88 INTEGRAL-MA1604 INTEGRAL-MA1004 |

Connectors

| | |
|------------------------|------------------|
| Audio Input Connector | Spring Terminals |
| Audio Output Connector | Spring Terminals |

Enclosure

| | |
|------------------------|-----------------|
| Enclosure Construction | High Impact ABS |
| Enclosure Geometry | Trapezoidal |
| Color | Black |

ARCO-24-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 04/09/2024



SOUND WITH SOUL

| | |
|--------------------------|---|
| Depth | 140 mm (5,5 in) |
| Dimensions (H x W x D) | 340 x 145 x 140 mm 13,4 x 5,7 x 5,5 in |
| Net Weight | 2,6 kg (5,7 lb) |

Components

| | |
|-----------|--------|
| LF Driver | 4G4 |
| HF Driver | TWT-24 |

Shipping

| | |
|---------------------------------|--|
| Carton Dimensions (H x W x D) | 455 x 330 x 170 mm 17,9 x 13,0 x 6,7 in |
| Shipping Weight | 3,3 kg (7,3 lb) |

ORDERING INFORMATION

| Model | Description | P/N |
|-------|-------------|-----|
|-------|-------------|-----|

System

| | | |
|-----------|--|----------|
| ARCO-24-T | | 10404560 |
|-----------|--|----------|

Replacement Parts

| | | |
|--------|-----------------|----------|
| 4G4 | Cone Transducer | 10205210 |
| TWT-24 | Diaphragm | 10212090 |

Accessories

| | | |
|-------------|------------------------------|----------|
| AXA-AC | Installation & Stacking Acc. | 10104370 |
| AXU-AC24 | Installation & Stacking Acc. | 10104350 |
| KIT-IP-ARCO | Installation & Stacking Acc. | 10404660 |

ARCO-24-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 04/09/2024

