



## DESCRIÇÃO

The EP Series EP-10K4 offers 2100 W per channel at four ohms. The amplifiers also offer operation in bridge mode. The rear panel incorporates switches for changing the gain, and selection between standard and bridge modes. Input and output connections are made through XLR connectors. The EP-10K4 is housed in a rugged 2-unit high steel chassis.

# EP-10K4-115

---

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 24/05/2024



SOUND WITH SOUL

## DADOS TÉCNICOS

### Potência de Saída

Power 8 Ohms, Both Channels Driven	4 x 1350 W
Power 8 Ohms Bridged	2 x 4200 W
Power 4 Ohms, Both Channels Driven	4 x 2100 W

### ELETRÔNICA E CONECTORES

Amplifier Channels	4
Output Circuitry	Switched Amplification
Resposta de Frequência	10 Hz-30 kHz
Voltage gain	23 - 44 dB (Rear DIPs adjustable)
Controles	Power On/Off, Gain Pots, Rear DIP Switches
Cooling	Front-to-Back
Amplifier Protections	Thermal, Overload, Short Circuit, Over Current
LED Indicators	Independent Channel Meters, Clip/VPL, Temp, Mute, VHF, On
Conector de Sinal de Entrada	4 x Balanced Neutrik XLR
Speaker Output Connector	4 x Neutrik NL4
Current Draw 230 V / 115 V	-/15 A

### Dimensões-Peso

Dimensões ( A x L x P )	88 x 483 x 396 mm 3,5 x 19,0 x 15,6 in
Peso Neto	15,0 kg ( 33,0 lb )

# EP-10K4-115

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 24/05/2024




SOUND WITH SOUL

## Envio

Dimensões da Embalagem ( A x L x P )	170 x 555 x 495 mm 6,7 x 19,5 x 21,8 in
Peso de Expedição	17,0 kg ( 37,5 lb )

## DIMENSÕES



## INFORMAÇÕES SOBRE PEDIDOS

Modelo	Descrição	P/N
<b>Sistema</b>		
EP-10K4-115		10718003

# EP-10K4-115

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 24/05/2024

