


artec 500 series



ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 13/10/2024



SOUND WITH SOUL

KEY FEATURES

- Single 8" loudspeaker
- M-34 compression driver
- Vertical or horizontal positioning
- Threaded fixing points for wall mounts
- Pole mount socket

DESCRIPTION

The Artec-508 employs a single 8C woofer for low frequency reproduction. The M-34 compression driver provides brilliant highs. The birch plywood cabinet construction offers an ultra compact design which is available in black or white. Precise coverage and control in either the horizontal and vertical position is possible thanks to the symmetrical 80° horn geometry. The cabinets can be permanently installed by way of the optional "U" brackets and accessories which allow for multiple configurations. Four threaded fixing points for the AXW-1 adjustable wall mount and a pole mount socket augment adaptability. A robust steel grille internally lined with acoustically transparent filter cloth protects components.

ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 13/10/2024



SOUND WITH SOUL

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	60 Hz – 20 kHz
Horizontal Coverage (-6 dB)	80°
Vertical Coverage	80°
Nominal Impedance	8 ohms
RMS Power Handling	300 W
Peak Power Handling	1200 W
On-axis Sensitivity 1W/1 m	91 dB SPL
Maximum Peak SPL at 1 m	122 dB

Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
	INTEGRAL-MA1604
Recommended Processor	INTEGRAL-M88
	INTEGRAL-MA1604
	INTEGRAL-MA1004

Connectors

Audio Input Connector	1 x speakON NL4
Audio Output Connector	1 x speakON NL4

ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 13/10/2024



SOUND WITH SOUL

Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Trapezoidal
Rigging	M10 Rigging Points
Finish	ISO-flex Paint
Depth	290 mm (11,4 in)
Dimensions (H x W x D)	450 x 245 x 290 mm 17,7 x 9,7 x 11,4 in
Net Weight	11,5 kg (25,4 lb)

Components

LF Driver	8C
HF Driver	M-34
Horn/Waveguide	BC-88

Shipping


Carton Dimensions (H x W x D)	541 x 310 x 355 mm 21,3 x 12,2 x 14,0 in
Shipping Weight	13,0 kg (28,7 lb)

DIMENSIONS

ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 13/10/2024





ORDERING INFORMATION

Model	Description	P/N
System		
ARTEC-508		10423190
Replacement Parts		
8C	Cone Transducer	20208710
BC-88	Horn	30003945
F-AR508	Filter	30005455
GM-8C	Recone Kit	20208380
GM-M34	Diaphragm	20205060
M-34	Compression Driver	10207080
Accessories		
ANL-2	Rigging Accessories	10101020
AX-SPG1	Installation & Stacking Acc.	10105050

ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
 Fuente del Jarro - Valencia - Spain - Tel. +34961340860
 Updated (DD/MM/YYYY): 13/10/2024



AX-SPG2	Installation & Stacking Acc.	10105060
AXC-AT	Installation & Stacking Acc.	10104310
AXF-AR508	Installation & Stacking Acc.	10104800
AXR-AR5	Installation & Stacking Acc.	10104870
AXU-AR508	Installation & Stacking Acc.	10104510
AXW-3	Installation & Stacking Acc.	10104850
TRD-6	Installation & Stacking Acc.	10104470
TRD-7	Installation & Stacking Acc.	10104471
TRPD-S2-PAK	Installation & Stacking Acc.	10104011

ARTEC-508

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 13/10/2024



SOUND WITH SOUL