

**artec 300 series**



## **ARTEC-312.96**

---

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 17/01/2025



SOUND WITH SOUL

## KEY FEATURES

- 1 x 12MI low frequency loudspeaker, 2.5" VCD
- 1 x M-34 compression driver
- Rotatable 90° x 60° horn
- Vertical or horizontal positioning
- Optional AXU-AR312 U-Bracket
- M-10 rigging points

## DESCRIPTION

The ARTEC-312.96 is a compact 2-way full-range loudspeaker system comprised of one 12" low frequency transducer and one M-34 compression driver with titanium diaphragm. The rotatable waveguide provides 90° x 60° coverage and allows the systems to be installed in either the vertical or horizontal position maintaining the needed dispersion characteristics.

The Artec-300 cabinets are constructed from Baltic Birch plywood and finished with a durable ISO-flex paint. The trapezoidal enclosure design helps eliminate standing wave coloration.

The cabinet is fitted with M10 threaded suspension points.

# ARTEC-312.96

---

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 17/01/2025



SOUND WITH SOUL

## SPECIFICATIONS

### Performance

Frequency Range (-10 dB)	50 Hz – 20 kHz
Horizontal Coverage (-6 dB)	90°
Vertical Coverage	60°
Nominal Impedance	8 ohms
RMS Power Handling	300 W
Peak Power Handling	1200 W
On-axis Sensitivity 1W/1 m	96 dB SPL
Maximum Peak SPL at 1 m	127 dB
Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
Recommended Processor	INTEGRAL-MA1604
	INTEGRAL-MA1004
	INTEGRAL-M88

### Connectors

Audio Input Connector	Covered Barrier Strip Terminals
Audio Output Connector	Covered Barrier Strip Terminals

# ARTEC-312.96

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 17/01/2025



## Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Trapezoidal
Rigging	M10 Rigging Points
Finish	ISO-flex Paint
Color	Black
Depth	375 mm (14,8 in)
Dimensions ( H x W x D )	615 x 385 x 375 mm 24,2 x 15,2 x 14,8 in
Net Weight	19,0 kg ( 41,9 lb )

## Components

LF Driver	12MI
HF Driver	M-34
Horn/Waveguide	BC-916

## Shipping

Carton Dimensions ( H x W x D )	710 x 450 x 450 mm 28,0 x 17,7 x 17,7 in
Shipping Weight	21,0 kg ( 46,3 lb )





## DIMENSIONS

# ARTEC-312.96

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 17/01/2025



SOUND WITH SOUL



## ORDERING INFORMATION

Model	Description	P/N
<b>System</b>		
ARTEC-312.96		10423820
<b>Replacement Parts</b>		
12MI	Cone Transducer	10214310
BC-916	Horn	30006590
F-AR312.96	Filter	30006576
GM-12MI	Recone Kit	20208290
GM-M34	Diaphragm	20205060
LAMP-F-21	Lamp	30000535
M-34	Compression Driver	10207080
<b>Accessories</b>		
ANL-2	Rigging Accessories	10101020
AX-SPG1	Installation & Stacking Acc.	10105050

# ARTEC-312.96

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
 Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
 Updated (DD/MM/YYYY): 17/01/2025



AXC-AT	Installation & Stacking Acc.	10104310
AXR-AR5	Installation & Stacking Acc.	10104870
AXU-AR312	Installation & Stacking Acc.	10105090

# ARTEC-312.96

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 17/01/2025



SOUND WITH SOUL