

DECO series



DECO-6-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 17/01/2025



SOUND WITH SOUL

KEY FEATURES

- 6" ceiling mount loudspeaker
- 60 Hz – 20 kHz bandwidth
- Multi-tap 70V/100V transformer
- Easy mounting system with built-in tabs
- Frameless grille design with black option

DESCRIPTION

The DECO series is a family of ceiling loudspeakers with minimum visual impact thanks to an innovative mechanical design that incorporates grilles attached with powerful neodymium magnets that cover the entire system so that it can blend seamlessly into its environment. All models in the series include loudspeakers with polypropylene cones, making them highly reliable in humid conditions. The design of the rubber mounts provides a high degree of movement and reduces low-frequency distortion levels. All models in the series are white, but black grilles are available as an option when used in spaces with dark ceilings.

The DECO-6T is a wide-range passive two-way ceiling-mounted acoustic system featuring a 6.25" low-frequency cone loudspeaker and a 1" ferrofluid-cooled soft dome tweeter with an integrated diffraction ring. Thanks to the frameless grille design, the system extends just 3 mm from the ceiling, making it practically invisible. It is equipped with a 15W 100V line transformer specifically designed for high impedance.

DECO-6-T

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	60 Hz – 20 kHz
Nominal Impedance	8 ohms
Conical Coverage	95°
Transformer Taps 70 V	Tap1, 2.5 W. Tap2, 5 W. Tap3 7.5 W.
Transformer Taps 100 V	Tap1, 5 W. Tap2, 10 W. Tap3 15 W.
On-axis Sensitivity 1W/1 m	90 dB SPL
Maximum Peak SPL at 1 m	112 dB
Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
Recommended Processor	INTEGRAL-MA1604
	INTEGRAL-MA1004
	INTEGRAL-MA1604

Connectors

Audio Input Connector	Spring Terminals
Audio Output Connector	Spring Terminals

Enclosure

Enclosure Geometry	Round
Color	White


DECO-6-T

Cut Out Diameter	210 mm (8,3 in)
Depth	80 mm (3,2 in)
Dimensions (H x W x D)	230 x 230 x 80 mm 9,0 x 9,0 x 3,2 in
Net Weight	1,4 kg (3,1 lb)

Shipping

Carton Dimensions (H x W x D)	270 x 250 x 390 mm 10,6 x 9,8 x 15,4 in
Shipping Weight	1,5 kg (3,3 lb)

DIMENSIONS



ORDERING INFORMATION

Model	Description	P/N
System		

DECO-6-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 17/01/2025



DECO-6-T

10213203

Accessories

GR-DC6

Installation & Stacking Acc.

20220501

DECO-6-T

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 17/01/2025

