

INTEGRAL series



INTEGRAL-AS2

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 15/11/2024



KEY FEATURES

- Dual channel stereo professional audio source
- FM/AM tuner, USB slots, BT wireless and CD
- 2 x Stereo Balanced audio outputs (XLR)
- 2 x Stereo Unbalanced audio outputs (RCA)
- Accessories included: FM, AM antenna, IR remote control, 2xRCA cable

DESCRIPTION

INTEGRAL-AS2 is an stereo rack mount audio source with two independent channels. It is equipped with CD player, FM/AM tuner, two USB slots and two BT channels for wireless connectivity. It performs 2x unbalanced and 2x balanced stereo audio outputs.

The front panel integrates two screens to display the information of each channel and a collection of buttons to navigate and activate the different features available. IR remote control, FM/AM antennas and 2x RCA cables are included.

INTEGRAL-AS2

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 15/11/2024



SOUND WITH SOUL

SPECIFICATIONS

Performance

System	2 Channels Multimedia Player
Compatible Media	L Channel: CD / USB / Bluetooth R Channel: USB/Bluetooth/FM (RDS)/DAB + (DAB)/AM
Playable Formats	CD: CD / CD-R / CD-RW USB: MP3 / WAV / WMA / FLAC / APE
Bluetooth Version	Version 5.0

Electronics and Connectors

Frequency Range	FM (RDS): 87.50 - 108.00 MHz DAB + (DAB): 168.00 - 240.00 MHz AM: 522 - 1620 kHz
Frequency Response	20 Hz - 20 kHz (+0, -0.5 dB)
Signal to Noise Ratio	>105 dB
Total Harmonic Distortion	< 0.005%
Unbalanced L/R Outputs	2 x RCA Level: 2 Vrms (max. 10 dBu) @ 10 kohms load Load Impedance: > 10 kohms
Balanced L/R Outputs	2 x XLR (1: GND 2:HOT 3:COLD) Level: 8.23 dBu (max. 24 dBu) @ 600 ohms load Load Impedance; > 600 ohms
Power Supply	AC 60/50 Hz with selector 115/230 V

INTEGRAL-AS2

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 15/11/2024



SOUND WITH SOUL

Current Draw 230 V / 115 V

0.13 A / 0.26 A

Dimensions-Weight

Dimensions (H x W x D)

45 x 480 x 255 mm

14,6 x 10,5 x 1,9 in

Net Weight

3,4 kg (7,5 lb)

Shipping

Carton Dimensions (H x W x D)


520 x 355 x 117 mm

20,5 x 14,0 x 4,6 in

Shipping Weight

4,1 kg (9,0 lb)

DIMENSIONS



ORDERING INFORMATION

Model	Description	P/N
System		
INTEGRAL-AS2		10721050

INTEGRAL-AS2

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 15/11/2024

