

# EN54 series



## WR 8826 TDX

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

## KEY FEATURES

- 2-way system for outdoor installation
- DX finish (Fiberglass) for direct exposure
- IP56 ingress protection rating
- Twin 6" loudspeaker
- 1"annular diaphragm driver
- Stainless steel threaded fixing points for wall mounts
- Version with 50 W/100 V line transformer

## DESCRIPTION

The WR-8826-TDX employs twin 6B woofers for low frequency reproduction. A 1" annular diaphragm compression driver provides brilliant highs. The birch plywood cabinet construction offers an ultra compact design which is available in black or white.

The WR-8826TDX has been designed for the outdoor installation market. The WR-DX finish protects the cabinets from the elements thanks to a fiberglass exterior and gel coat interior protection augmenting their weather resistance when used in direct exposure situations. Stainless steel threaded rigging points and optional mounting hardware are available. The T-version is equipped with 50 W/100 V factory installed line transformer.

# WR 8826 TDX

---

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

## SPECIFICATIONS

### Performance

Frequency Range (-10 dB)	76 Hz – 20 kHz
Horizontal Coverage (-6 dB)	80°
Vertical Coverage	80°
Nominal Impedance	133 ohms
Transformer Taps 70 V	37 W
Transformer Taps 100 V	75 W
RMS Power Handling	75 W
Peak Power Handling	300 W
On-axis Sensitivity 1W/1 m	93 dB SPL
Maximum Peak SPL at 1 m	118 dB

Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
	INTEGRAL-MA1604

Recommended Processor	INTEGRAL-M88
	INTEGRAL-MA1604
	INTEGRAL-MA1004

### Connectors

Audio Input Connector	Covered Barrier Strip Terminals
Audio Output Connector	Covered Barrier Strip Terminals

# WR 8826 TDX

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

## Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Trapezoidal
Rigging	M10 Rigging Points
Finish	Fiberglass
Color	Black
IP Rating	IP56
Depth	270 mm (10,6 in)
Dimensions ( H x W x D )	550 x 230 x 270 mm 21,7 x 9,1 x 10,6 in
Net Weight	11,0 kg ( 24,5 lb )

## Components

LF Driver	6B
HF Driver	M-1
Horn/Waveguide	BC-88

## Shipping

Carton Dimensions ( H x W x D )	608 x 274 x 345 mm 23,9 x 10,8 x 13,6 in
Shipping Weight	15,0 kg ( 33,0 lb )


## DIMENSIONS

# WR 8826 TDX

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL



## ORDERING INFORMATION

Model	Description	P/N
<b>System</b>		
WR-8826-TDX		10428040
<b>Replacement Parts</b>		
6B	Cone Transducer	20208260
BC-88	Horn	30003945
F-WR8826	Filter	30005704
M-1	Transducer	20208250
<b>Accessories</b>		
ANL-2	Rigging Accessories	10101020
AX-SPG1	Installation & Stacking Acc.	10105050

# WR 8826 TDX

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
 Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
 Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

AXC-AT	Installation & Stacking Acc.	10104310
AXU-WR8826	Installation & Stacking Acc.	10104700
AXW-1	Installation & Stacking Acc.	10104140

# WR 8826 TDX

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988  
Fuente del Jarro - Valencia - Spain - Tel. +34961340860  
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL