

artec 500 series



ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

KEY FEATURES

- Ultra lightweight Class D amplifier
- Switch-mode power supply
- Reduced size and weight
- Horizontal or vertical position
- Pole mount accessories

DESCRIPTION

The ARTEC-508A incorporates a single 8" loudspeaker for low frequency reproduction. The 720 W peak power of the Class D amplifier provides extended bandwidth, improved dynamic range and exceptionally low distortion-features hard to find on other systems in this market segment. The DAS 8C loudspeaker provides accurate low frequency reproduction. High frequencies are handled by the M-34 compression driver with 1" exit offering excellent HF performance. The birch plywood cabinet construction offers an ultra-compact design which is available in black or white.

ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

SPECIFICATIONS

Performance

| | |
|-----------------------------|----------------|
| Frequency Range (-10 dB) | 55 Hz - 20 kHz |
| Horizontal Coverage (-6 dB) | 80° |
| Vertical Coverage | 80° |
| Maximum Peak SPL at 1 m | 122 dB |

Electronics and Connectors

| | |
|---|-----------------|
| Nominal Amplifier Power LF (continuous) | 360 W |
| Nominal Amplifier Power LF (peak) | 720 W |
| Nominal Amplifier Power HF (continuous) | 180 W |
| Nominal Amplifier Power HF (peak) | 360 W |
| Input Type | Balanced |
| Input Impedance | 20 kohms |
| Input Sensitivity | 1.95 V (+8 dBu) |
| Audio Signal Input Connector | 1 x Female XLR |
| Audio Signal Loop Thru Connector | 1 x Male XLR |
| Recommended Signal Processing | INTEGRAL-M88 |
| Current Draw 230 V / 115 V | 1.2 A/- |

Enclosure

| | |
|------------------------|--------------------|
| Enclosure Construction | Birch Plywood |
| Enclosure Geometry | Trapezoidal |
| Rigging | M10 Rigging Points |
| Finish | ISO-flex Paint |

ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 26/06/2024



| | |
|--------------------------|--|
| Color | Black |
| Dimensions (H x W x D) | 450 x 245 x 290 mm 17,7 x 9,6 x 11,4 in |
| Net Weight | 9,9 kg (21,8 lb) |


Components

| | |
|----------------|-------|
| LF Driver | 8C |
| HF Driver | M-34 |
| Horn/Waveguide | BC-88 |

Shipping

| | |
|---------------------------------|---|
| Carton Dimensions (H x W x D) | 541 x 310 x 355 mm 21,3 x 12,2 x 14,0 in |
| Shipping Weight | 13,6 kg (30,0 lb) |

DIMENSIONS



ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
 Fuente del Jarro - Valencia - Spain - Tel. +34961340860
 Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

ORDERING INFORMATION

| Model | Description | P/N |
|--------------------------|------------------------------|----------|
| System | | |
| ARTEC-508A-230 | | 10423350 |
| Replacement Parts | | |
| 8C | Cone Transducer | 20208710 |
| BC-88 | Horn | 30003945 |
| DSP-ARTEC-508A | Dsp | 20406350 |
| GM-8C | Recone Kit | 20208380 |
| GM-M34 | Diaphragm | 20205060 |
| M-34 | Compression Driver | 10207080 |
| MP-ARTEC-508A- 230 | Power Module | 30005290 |
| Accessories | | |
| ANL-2 | Rigging Accessories | 10101020 |
| AX-SPG1 | Installation & Stacking Acc. | 10105050 |
| AX-SPG2 | Installation & Stacking Acc. | 10105060 |
| AXC-AT | Installation & Stacking Acc. | 10104310 |
| AXC-ZT | Installation & Stacking Acc. | 10104320 |
| AXF-AR508 | Installation & Stacking Acc. | 10104800 |
| AXR-AR5 | Installation & Stacking Acc. | 10104870 |
| AXU-AR508 | Installation & Stacking Acc. | 10104510 |
| AXW-3 | Installation & Stacking Acc. | 10104850 |

ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL

| | | |
|-------------|------------------------------|----------|
| TRD-6 | Installation & Stacking Acc. | 10104470 |
| TRD-7 | Installation & Stacking Acc. | 10104471 |
| TRPD-S2-PAK | Installation & Stacking Acc. | 10104011 |

ARTEC 508A 230

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 26/06/2024



SOUND WITH SOUL